


NOTES:
 1. INSPECT AND REPAIR FENCE AFTER EACH STORM EVENT AND REMOVE SEDIMENT WHEN NECESSARY.
 2. REMOVED SEDIMENT SHALL BE DEPOSITED IN AN AREA PROTECTED WITH SEDIMENT BARRIERS THAT WILL BE PERMANENTLY STABILIZED.
 3. SILT FENCE SHALL BE PLACED ON SLOPE CONTOURS TO MAXIMIZE PONDING EFFICIENCY.



The City of Enid
 401 West 1st St., Enid, Oklahoma 73701
 Telephone: (505) 234-8446 Fax: (505) 234-8446
Contacts:
 Robert Hill, Director of Engineering Services, Ext. 344
 Jason Bivens, Civil Engineer, Ext. 348



REVISIONS	Number	Date	Description


Project Number:
 Project Location:
 Sheet Title: **SILT FENCE BARRIER**
 Project Title: **DD - 16**

Engr. Seal:
 Date: 6/1/00
 Scale: NO SCALE
 Cad File: G:\MIA\SPES\DD16
 Drawn By: CLH
 Designed By: CLH
 Approved By: R.H.
 Sheet: of



NOTES:
 1. THE ENTRANCE SHALL BE MAINTAINED IN A CONDITION THAT WILL PREVENT TRACKING OR FLOWING OF SEDIMENT ONTO PUBLIC RIGHTS-OF-WAY. THIS MAY REQUIRE TOP DRESSING, REPAIR AND/OR CLEANOUT OF ANY MEASURES USED TO TRAP SEDIMENT.
 2. WHEN NECESSARY, WHEELS SHALL BE CLEANED PRIOR TO ENTRANCE ONTO PUBLIC RIGHT-OF-WAY.
 3. WHEN WASHING IS REQUIRED, IT SHALL BE DONE ON AN AREA STABILIZED WITH CRUSHED STONE THAT DRAINS INTO AN APPROVED SEDIMENT TRAP OR SEDIMENT BASIN.

The City of Enid
 401 West 1st St., Enid, Oklahoma 73701
 Telephone: (505) 234-8446 Fax: (505) 234-8446
Contacts:
 Robert Hill, Director of Engineering Services, Ext. 344
 Jason Bivens, Civil Engineer, Ext. 348



REVISIONS	Number	Date	Description

Project Number:
 Project Location:
 Sheet Title: **TEMPORARY GRAVEL CONSTRUCTION ENTRANCE/EXIT**
 Project Title: **DD - 17**

Engr. Seal:
 Date: 6/1/00
 Scale: NO SCALE
 Cad File: G:\MIA\SPES\DD17.DWG
 Drawn By: CLH
 Designed By: CLH
 Approved By: R.H.
 Sheet: of